JARO METAL PLATE RESISTOR (LMP)

AXIAL LEAD TYPE, PRECISION POWER, LOW VALUE

FEATURES

- IDEAL FOR ALL TYPES OF CURRENT SENSING APPLICATIONS INCLUDING SWITCHING AND LINEAR POWER SUPPLIES, INSTRUMENTS AND POWER AMPLIFIERS
- PROPRIETARY PROCESSING TECHNIQUE PRODUCES EXTREMEMLY LOW RESISTANCE VALUES
- EXCELLENT LOAD LIFE STABILITY


- LOW TEMPERATURE COEFFICIENT
- 275° C MAXIMUM OPERATING TEMPERATURE
- LOW INDUCTANCE
- MIL-R-49465 STYLES AVAILABLE
- COOLER OPERATION FOR HIGH POWER TO SIZE RATIO

ELECTRICAL SPECIFICATIONS

- RESISTANCE RANGE : $.005 \Omega$ TO $.35 \Omega$.
- RESISTANCE TOLERANCE : ±1%, ±3%, ±5%, ±10%. LOWER TOLERANCES AVAILABLE AS SPECIALS.
- TEMPERATURE COEFFICIENT : MEASURED FROM -5° C TO +125° C, REFERENCED TO +25° C.
- DIELECTRIC STRENGTH: 500 VAC.
- INSULATION RESISTANCE: 10,000 MEG OHM MINIMUM DRY.
- SHORT TIME OVERLOAD: 5 SECONDS AT 5 TIMES RATED POWER.

MECHANICAL SPECIFICATIONS

- TERMINAL STRENGTH: 10 POUND PULL TEST = LMP -3
- SOLDERABILITY: SATISFACTORY WHEN TESTED IN ACCORDANCE WITH METHOD 208 OF MIL-STD-202



ТҮРЕ	POWER RATING	RESISTANCE	DIMENSIONS (mm)		
		RANGE (OHM)	A <u>+</u> 0.2	B <u>+</u> 0.2	C <u>+</u> 0.5
LMP -3	3W	0.005 ~ 0.35	13	3.5	0.8

ENVIRONMENTAL PERFORMANCE		DERATING	SURFACE TEMPERATURE VS POWER			
TEST	MAXIMUM					
THERMAL SHOCK	<u>+</u> 0.2 %					
SHORT TIME OVERLOAD	<u>+</u> 0.5 %	PERCENT 100 80	250			
TERMINAL STRENGTH	<u>+</u> 0.1 %	OF RATED 60	TEMP. 150			
DIELECTRIC WITH. VOLT.	<u>+</u> 0.1 %	POWER 40 20	50			
INSULATIONRESISTANCE	1.000 M Ω	25 75 125 175 225 275	1 2 3 4 5 6			
HIGH TEMP EXPOSURE	<u>+</u> 1.0 %	AMBIENT TEMP (°C)	POWER (WATTS)			
MOISTURE RESISTANCE	<u>+</u> 0.2 %	HOW TO ORDER				
LOW TEMP. STORAGE	<u>+</u> 0.2 %	LMP-3 ORG	05 F T			
VIBRATION HIGH FREQ.	<u>+</u> 0.1 %	MODEL VAL	UE TOLERANCE PACKAGING			